# 

--- MAKING A DIFFERENCE---





EMTOP is an affordable range of Power Tools and Hand Tools guaranteed to make your everyday tasks efficient and simple. With a sturdy design, our power tools will stand up to the rigors of your toughest project.

With such a wide range tools, you are sure to find the right tool at the right price.

**EMTOP** – Making a difference



EMTOP tools come with a One Year Warranty.

Parts & After Sales service available.

Batteries	11
Blowers	11
Demolition Breakers	8
Drills	4
Electrical Hand Tools	16
Grinders	6
Hand Tools	12
Lawnmowers	11
Planers/Sanders/Polishers	9
Pressure Washers	10
Safety Equipment	15
Saws	7
Vacuums	11
Welding Plants	10

### **Lithium-Ion Impact Drill 20V** ULCIDL72003

[15301000]



#### **DESCRIPTION:**

- Mechanical 2-speed gear
- 20V Lithium-Ion 2.0Ah batteries
- With 2pcs battery pack
- With 1pcs fast charger
- Integrated work light
- LED battery power indicator
- With 50pcs accessories
- Packed by plastic box

Voltage:	20V
No-load speed:	0-450/0-1900/min
Max.impact rate:	22500/min
Max.torque:	55NM
Chuck capacity:	2.0-13mm
Torque settings:	23+1+1
Charge volts:	20V-240V~50/60Hz

### Impact Drill 680W ULMDL0681

[15301010]



#### **DESCRIPTION:**

- Variable speed
- Froward/Reverse switch
- Hammer function
- Packed by color box

Voltage:	110-120V~60Hz
Input Power:	680W
No-load speed:	0-3000rpm
Max.drilling capacity:	13mm

# 1/2" Impact Drill 850W ULMDL0851

[15301015]



### **DESCRIPTION:**

- Variable speed
- Froward/Reverse switch
- Hammer function
- Packed by color box

Voltage:	110-120V~60Hz
Input Power:	850W
No-load speed:	0-2400rpm
Max.drilling capacity:	0.5 inches

### Impact Drill 1100W ULMDL1101

[15301018]



- Variable speed
- Froward/Reverse switch
- Hammer function

Voltage:	110-120V~60Hz
Input Power:	1100W
No-load speed:	0-2800rpm
Max.drilling capacity:	13mm

# Rotary Hammer 800W ULRHRL801

[15301020]



#### **DESCRIPTION:**

- With 3 drills and 2 chisels
- Packed by BMC

Voltage:	110-120V~60Hz
Input Power:	800W
No-load speed:	0-1100rpm
Impact Rate:	0 - 4000bpm
Impact Energy:	2.5J
Max.drilling capacity:	Concrete: 26mm Steel: 13mm Wood: 30mm

### Lithium-Ion Rotary Hammer

ELRH202201

[15301023]

[15301030]



#### **DESCRIPTION:**

- Brushless Motor
- Integrated Work Light
- SDS plus Chuck System
- 3 Drill bits and 1 Chisel bit
- Cordless
- Battery & Charger Included

Voltage:	20V
Impact rate:	0-4700bpm
No-load speed:	0-1350rpm
Max.drilling capacity:	22 inches

### ½" Impact Wrench

ULCDLIW20221



- Brushless Motor
- 20V Lithium-Ion 2.0Ah batteries
- With 2pcs battery pack
- With 1pc 1hr charger
- Integrated work light
- LED battery power indicator
- With 3pcs sockets (17, 19 & 21mm)
- Packed by canvas bag

Voltage:	20V
Square Drive:	1/2"
No-load speed:	0-1300 / 0-2100/min
Impact rate:	0-2000 / 0-3300bpm
Max. torque:	300NM
Charge volts:	110V - 240V~50/60Hz

## Air Impact Wrench EATL126801

[15301035]



- Twin Hammer Mechanisim
- 3pc scoket (17mm, 19mm,21mm)
- EU,NA, Nitto & Italy type connectors

Square Drive:	12.5mm
Max. Torque:	610Nm
No-Load Speed:	700rpm
Air Consumption:	142.5L/Min
Air Pressure:	6.2bar

### 4 ½" Angle Grinder 750W

ULAGR07581 [15302000]



#### **DESCRIPTION:**

- With 1pcs auxiliary handle
- Packed by color box

Voltage:	110-120V~60Hz
Input Power:	750W
No-load speed:	11000rpm
Disc diameter:	4 ½"
Spindle Thread:	%" - 11UNC

### 5" Angle Grinder 900W

ULAGR09051

[15302005]



#### **DESCRIPTION:**

- With 1pcs auxiliary handle
- Packed by color box

Voltage:	110-120V~50/60Hz
Input Power:	900W
No-load speed:	12000rpm
Disc diameter:	5"
Spindle Thread:	% - 11UNC

### 5" Angle Grinder 1500W

**ULAGR15053** 

[15302007]



### **DESCRIPTION:**

• With 1pcs auxiliary handle

Voltage:	110-120V~50/60Hz
Input Power:	1500W
No-load speed:	11000rpm
Disc diameter:	5"
Spindle Thread:	%" - 11UNC

### **9" Angle Grinder 2400W** ULAGR24093

[15302010]



- Adjustable cutting depth
- Adjustable bevel cutting
- With 1pcs 7-1/4" blade
- Packed by color box

Voltage:	110-120V~50/60Hz
Input Power:	2400W
No-load speed:	4800rpm
Disc diameter:	9"
Spindle Thread:	45 degree: 1 ¾" 90 degree: 2 ½"
	90 degree: 2 ½"

### **6" Bench Grinder 110-120V** ULBGR61501

[15302100]



#### **DESCRIPTION:**

- Heavy Duty Aluminum Base
- Adjustable Work Rest

Voltage:	110-120V~60Hz
Input Power:	150W
No-load speed:	3450rpm
Wheele Size:	150mm (6")
Max cutting Steel Bar:	30mm

### **7 ¼" Circular Saw 1400W** ULCSW1852

[15303000]



### **DESCRIPTION:**

- Adjustable cutting depth
- Adjustable bevel cutting
- With 1pcs 7-1/4" blade
- Packed by color box

110-120V~50/60Hz
1400W
4800rpm
7 ¼" x 0.787"
45 degree: 1 ¾" 90 degree: 2 ½"

### Jig Saw 570W ULJSW5701

[15303020]



### **DESCRIPTION:**

- 4 Step Pendulum Function
- Addtional 3pc Jig Saw Blades
- 1 Set Carbon Brushes
- Packed by color box

Voltage:	110-120V~50/60Hz
Input Power:	570W
No-load speed:	800 - 3000rpm
Cutting capacity:	Wood: 65mm Steel: 8mm

### Chop Saw 2350W ULCFS3551

[15303030]



- With 1pc 355mm Cutting Disc
- Packed by carton box

Voltage:	110-120V~60Hz
Input Power:	2350W
No-load speed:	3800rpm
Max cutting capacity:	Round Pipe: 100mm Square Steel: 100x100mm Rectangle: 120x100mm
Max cutting Steel Bar:	30mm

### Wall Chaser 1500W ULMCR15001

[15303040]



#### **DESCRIPTION:**

- With 1pc Chisel
- With 1pc auxiliary handle
- With 1 set carbon brushes
- With 4pc cutting disc
- Packed by colour box

Voltage:	110-120V~60Hz
Input Power:	1500W
No-load speed:	3800rpm
Disc Diameter:	5"
Spindle Thread:	5/8" - 11UNC
<b>Cutting Depth:</b>	3-29 mm
Cutting Width:	5/8" - 11UNC

### Reciprocating Saw ULRSW8001

[15303050]



#### **DESCRIPTION:**

- SDS Blade Change Chuck
- With 1pc Metal Saw Blade
- With 1pc Wood Saw Blade
- Packed by Colour Box

Voltage:	110-120V~60Hz
Rated Power:	750W
No-load speed:	900-3300rpm
Max cutting depth:	Wood: 4 1/2"
	Steel: 1/2"
	Aluminum: 5/16"

### **Lithium Ion Reciprocating Saw** ELRS201151

[15303052]



### **DESCRIPTION:**

- SDS Blade Change Chuck
- With 1pc Metal Saw Blade
- With 1pc Wood Saw Blade
- Packed by Colour Box
- Cordless

Voltage:	20V
No-load speed:	0-2800/min
<b>Cutting Capacity:</b>	Wood: 8mm
	Steel: 115mm

# **Demolition Breaker** ULDBRH1701

[15301050]



- HEX Chuck System
- 16Kgs Demolition Breaker
- 2pc Chisels

Voltage:	110-120V~50/60Hz
Impact Rate:	1400bmp
Impact Force:	45J

Electric Router
ULERR1601

[15304050]



#### **DESCRIPTION:**

- 1pc Coping Ring
- 1pc Aluminum Guide Fence
- 1 set of Parallel Guides
- 1 set of Carbon Brushes

Voltage:	110-120V~50/60Hz
Input Power:	1600W
No-Load Speed:	22000rpm
Plunge Capacity:	0-60mm

# Electric Planer ULECR1051

[15304002]



#### **DESCRIPTION:**

- Heavy Duty Aluminum Base
- Aluminum Side Cover
- Self-Cooling Belt System
- 2pc planing blades

Voltage:	110-120V~60Hz
Input Power:	1050W
No-Load Speed:	16000rpm
Planning Width & Depth:	3-1/4" x 1/8"

### Palm Sander 240W 14000RPM UULFSR2401

[15304000]



### **DESCRIPTION:**

- With 5pc Sand Paper
- Packed by colour box

Voltage:	110-120V~50-60Hz
Input Power:	240W
No-load speed:	14000rpm
Bottom base:	110mmx100mm

### **Angle Polisher 1400W** ULAPR1401

[15304020]



- Durable aluminum gear box
- 1pc polishing pad
- 1pc polishing bonnet

Voltage:	110-120V~50-60Hz
Input Power:	1400W
No-load speed:	1500-4500rpm
Polishing Pad Diameter:	7"

### Welding Machine Inverter MMA 110-120/240V ULWDEM2031

[15306000]



#### **DESCRIPTION:**

- Carbon brush motor
- Pure copper wire
- Auto stop system

Input Voltage:	110-120V/220-240V
Frequency:	50/60 Hz
Output Currency:	15-200A
Duty Cycle:	200A @ 60%
No-Load Voltage:	85V
Max Output current:	200A
Diameter of electrode:	1.6-4.0mm

## **High Pressure Washer 1400W** ULHPW1401

[15305000]



#### **DESCRIPTION:**

- Carbon brush motor
- Pure copper wire
- Auto stop system

Voltage:	110-120V~60Hz
Input power:	1400W
Max Pressure:	130Bar (1900PSI)
Flow Rate:	5.5L/min
PSI:	1900PSI

### **High Pressure Washer 1800W, 2200PSI** ULHPW1801

[15305005]



#### **DESCRIPTION:**

- Carbon brush motor
- Pure copper wire
- Auto stop system
- UL Plug
- 1pc soap bottle
- 1 set water spray gun
- 5m high pressure hose
- Packed by colour box

Voltage:	110-120V~60Hz
Input power:	1800W
Max Pressure:	150Bar (2200PSI)
Flow Rate:	6.0L/min

# **Spray Gun (Quick Connector)** UHPS0101

[15305050]



- Suitable for EHPW1401, ULHPW1401, EHPW1801, ULHPW1801, EHPW2001
- Plastic Body
- Packed by Carton Box

**Lithium-Ion Blower** ELAB20018

[15305026]



#### **DESCRIPTION:**

- Cordless
- Battery & Charger Included

Voltage:	20V
Input Power:	1050W
No-Load Speed:	0-9000/0-18000rpm
Max Air Volume:	2.7m³/min

**Gasoline Lawn Mower** EGLMM181410

[15305030]



#### **DESCRIPTION:**

- 4 Stroke Engine
- Steel Deck

Displacement:	141cc
Rated Power:	4HP
Rated Speed:	2600rpm
Drive Type:	Hand Push
Cutting Height:	25-75mm
Catcher Volume:	60L

**Vacuum Cleaner ELVC2003** 

[15305060]



### **DESCRIPTION:**

- 0.7L Dust Capacity
- Stainless Steel Filter Net
- 1pc Crevice Nozzle
- 1pc Dust Brush
- 1pc floor nozzle
- 1pc flexible Extension tube
- Cordless
- Battery & Charger Included

Voltage: 20V

**Battery Pack** 

EBPK2002-P20S

[15308050]



#### **DESCRIPTION:**

• Fits all P20S Multiple Tools

Voltage:	20V	
Amps:	4.0Ah	

**Battery Charger ULFCR20200** 

[15308051]



### **DESCRIPTION:**

- Fast intelligent charger
- Charges 20V 2.0Ah battery in 1Hr
- Charges 20V 4.0Ah battery in 2Hr

Voltage:	110V-120V~50/60Hz
Output:	20V
Input Power:	50W

### **Lithium Ion Screwdriver 8V**

**ULCSR0801** 

[15301040]



#### **DESCRIPTION:**

- Integrated work light
- Charge level indicator
- With 1pc 2hr Charger
- With 10pcs 25mm Cr-V bits and Holder
- With 1pcs magnetic bit holder

Voltage:	8V
Charger volts:	110-120V~50/60Hz
Hex Shank:	1/4"
No-load speed:	0-22/min
Max. torque:	6 N.M
Torque settings:	15+1

### 13 in 1 Ratchet Screwdriver Set **ESDRH1202**

[15307010]



### **DESCRIPTION:**

- 1pc Ratchet Handle
- Folding Handle
- High Quality
- CR-V Material
- 12pcs: 63.35 x 25mm Screwdriver bits
- Sizes: SL4 SL5 SL6 SL7 PH0 PH1 PH2 PH3 PZ0 PZ1 PZ2 PZ3
- Packed by display colour box

**8pc Handtools Set** EHTS01081

[15307000]




- 7" Combination Wrench
- Test Pencil 100-500VAC
- 8oz Mini Claw Hammer
- 8" Scissors
- 9mm Snap-off Blade Knife
- SL5.5 x 100 Screwdriver
- PH1 x 100 Screwdriver
- 3m Steel Measuring Tape



**Aviation Snip** EASP1041

[15306010]



#### **DESCRIPTION:**

• Unique design two tone soft handle

Length:	250mm
Carbon Steel Cutting Thickness:	≤1.2mm
Stainless Steel Cutting Thickness:	≤0.7mm

**6" Diagonal Cut Pliers** EPLRD0611

[15307020]




#### **DESCRIPTION:**

- 6"/160mm
- Polish & anti-rust oil
- Two colour handle
- Packed by Sliding Card

### **12"** Hacksaw Frame EHFE3001

[15307040]



#### **DESCRIPTION:**

- 300mm/12"
- Unique design Hacksaw Frame
- Including 1pc 65Mn Saw Blae
- Packed by Paper card

**12" Hacksaw Frame** EHFE3004

[15307045]



- 30mm/12"
- Heavy Duty Frame
- Aluminium + ABS + TPR handle, strong and comfortable
- Adjustable tension
- Quick-release blade changing mechanism
- Including 1pcs 65Mn saw blade
- Packed by paper card

### **Snap-off Blade Knife**

ESNK18102

[15307049]



#### **DESCRIPTION:**

• Flat Push Button

Length:	173mm
Blade Size:	18mm x 100mm

### **PVC Pipe Cutter**

EPCR4201

[15307050]



**3CR13 BLADE** 



**CUTTING RANGE: 3-42MM** 

#### **DESCRIPTION:**

- Length:193mm
- Material: 3CR13
- Cutting diameter:
- 3-42mm
- Auto-open function
- Packed by double blister

### **Steel Measuring Tape** EMTP25201

[15307080]



#### **DESCRIPTION:**

- Double Button
- All Rubber Cover
- Self Lock Function
- Metric & Inch

Length & Width: 5m x 25mm

### Magnetic Welding Holder 7pc Set EMWH7002

[15308000]





### **DESCRIPTION:**

• Packed by double blister

Specifications:	4" x 1pc 3" x 2pcs
	3" x 2pcs
	Mini Magnet x 4pcs
Pull Force:	50lbs (4")
	25lbs (3")
	10lbs (Mini)
Angles:	45°, 90°, 135°
Material:	Magnet and Steel



Face Shield
EFSD0101 [15308020]



#### **DESCRIPTION:**

- Impact resistant visor
- Brim protects forehead from outside injury
- Headgear has adjustable knobs, with antibacterial sweatband
- Packed by label

## **Saftey Goggles with Adjustable Strap** ESGG0101

[15308025]



- Plastic Protective Eye Wear
- Adjustable Strap



## **Insulated Combination Pliers** EPLRC0631

[15307025]



### **DESCRIPTION:**

- Black finish and polish
- Insulated handle

Stand High Pressure:	1000V
Size:	160mm

### **Insulated Long Nose Pliers**

EPLRL0831

[15307026]



#### **DESCRIPTION:**

- Black finish and polish
- Insulated handle

Stand High Pressure:	1000V
Size:	200mm

### **Insulated Screwdriver** ESDRJ4100

[15307023]



#### **DESCRIPTION:**

Round Shank

Stand High Pressure: 1000V



-MAKING A DIFFERENCE-

All Emtop power tools are covered by a 1 year warranty along with parts & after sales service



### DISTRIBUTED BY A.S. BRYDEN & SONS (TRINIDAD) LTD

Follow BRYDENS HARDWARE on





Follow EMTOP TRINIDAD AND TOBAGO on







A.S. Bryden & Sons (Trinidad) Ltd 2021